


ANALISIS GRANULOMETRICOS

MUESTRA: D665


UTM X: 614001

UTM Y: 3189999



TAMICES ASTM	Peso retenido (gramos)	% Retenido	% Que pasa
n°4	4,75 mm	1,83 (100 %C)	1,8%
n°10	2 mm	8,62 (100 %C)	10,5%
n°18	1 mm	21,01 (100 %C)	31,5%
n°25	0,71 mm	13,03 (100 %C)	44,5%
n°35	0,5 mm	11,10 (0 %C)	55,6%
n°60	0,25 mm	28,26 (0 %C)	83,9%
n°80	0,18 mm	11,19 (0 %C)	95,0%
n°120	0,125 mm	4,31 (0 %C)	99,4%
n°230	0,063 mm	0,28 (0 %C)	99,6%
Finos	<0,063 mm	0,37 (0 %C)	100,0%

% FINOS	0,66%
% CASCAJO	44,50%
D16	0,542
D50	0,353
D84	0,205
Media	0,366
σ	0,169
M. distribuc.	0,373



MODA ARENAS MEDIAS

	D50	
Cantos y gravas	>2	mm
Arena muy gruesa	1-2	mm
Arena gruesa	0,5-1	mm
Arena media	0,25-0,5	mm
Arena fina	0,125-0,25	mm
Arena muy fina	0,062-0,125	mm
Fango	<0,062	mm

