



## BIBLIOGRAFIA

- Aellen, V. 1983. Migrations des chauves-souris en Suisse. Bonn. Zool. Beitr., 34 : 3-27.
- Altenbach, J. S., K. N. Geluso y D. E. Wilson. 1979. Population size of *Tadarida brasiliensis* at Carsbad Caverns in 1973. Pp. 341-348 en (H. H. Genoways Y R. J. Baker, eds.) Biological investigations in the Guadalupe Mountains National Park, Texas. Proc. Trans. Ser. 4, National Park Service.
- A.M.A. 1988. Medio ambiente en Andalucía. Agencia de Medio Ambiente. Junta de Andalucía. Sevilla.
- Braun, M. V. 1986. Rückstandsanalysen bei Fledermäusen. Z. Säugetierkunde, 51:212-217.
- Brigham, R. M. y M. B. Fenton. 1986. The influence of roost closure on the roosting and foraging behaviour of *Eptesicus fuscus* (Chiroptera: Vespertilionidae). Can. J. Zool., 64:1128-1133.
- Busby, D. G. , P. A. Pearce y N. R. Garrity. 1981. Brain cholinesterase response in songbirds exposed to experimental fenitrothion spraying in New Brunswick, Canada. Bull. Environ. Contam. Toxicol., 26:401-406.
- Busby, D. G. , P. A. Pearce, N. R. Garrity Y L. M. Reynolds. 1983. Effect of an organophosphorus insecticide on brain cholinesterase activity in White-throated Sparrows exposed to aerial forest spraying. J. App. Ecol., 20:255-263.
- Busby, D. G., P. A. Pearce, y N. R. Garrity. 1987. Effect of ultra ULV fenitrothion spraying on brain cholinesterase activity in forest songbirds. Bull. Environ. Contam. Toxicol., 39:304-311.
- Busby, D. G. , L. M. White y P. A. Pearce. 1990. Effects of aerial spraying of fenitrothion on breeding White-throated sparrows. J. Appl. Ecol., 27:743-755.
- Caubere, B., P. Gaucher, J. F. Julien y M. Wegnez. 1983. Un cas de longévité exceptionnelle chez le chiroptère *Rhinolophus ferrumequinum*. Rev. Ecol. (Terre Vie), 37:129-131.
- Clark, D. R., Jr. 1981. Bats and environmental contaminants: a review. U. S. Fish and Wildl. Serv. , Spec. Sci. Rep. -Wildl. , 245:1-27.
- Clark, D. R. Jr. 1981. Death in bats from DDE, DDT or Dieldrin: diagnosis via residues in carcass fat. Bull. Environ. Contam. Toxicol., 26:367-374.
- Clark, D. R. Jr. 1986. Toxicity of methyl parathion to bats: Mortality and coordination loss. Environ. Toxicol. Chemis. 5:191-195.
- Clark, D. R., Jr., R. L. Clawson y C. J. Stafford. 1983. Gray bats killed by dieldrin at two additional Missouri caves: aquatic macroinvertebrates found dead. Bull. Environ. Contam. Toxicol., 30:214-218.
- Clark, D. R., Jr., y J. C..Kroll. 1977. Effects of DDE on experimentally poisoned free-tailed bats (*Tadarida brasiliensis*): lethal brain concentrations. J. Toxicol. Environ. Health., 3:893-901.
- Clark, D. R., Jr. , T. H. Kunz, and T. E. Kaiser. 1978. Insecticides applied to a nursery colony of little brown bats (*Myotis lucifugus*): lethal concentrations tissues. J. Mamm., 59:84-91. 1
- Clark, D. R. Jr. y T. G. Lamont. 1976. Organochlorine residues and reproduction in the big brown bat. J. Wildl. Managem., 40:249-254.
- Clark, D. R., Jr. y T. G. Lamont. 1976. Organochlorine residues in females and nursery young of the big brown bat (*Eptesicus fuscus*). Bull. Environ. Contam. Toxicol., 15:1-8.

- Clark, D. R., Jr., R. K. LaVal y A. J. Krynnitsky. 1980. Dieldrin and heptachlor residues in dead gray bats, Franklin County, Missouri-1976 versus 1977. Pestic. Monit. J., 13:137-140.
- Clark, D. R., Jr., R. K. LaVal y D. M. Swineford. 1978. Dieldrin-induced mortality in an endangered species, the gray bat (*Myotis grisescens*). Science, 199:1357-1359.
- Clark, D. R. Jr. y R. M. Prouty. 1976. Organochlorine residues in three bat species from four localities in Maryland and West Virginia, 1973. Pestic. Monitor. J., 10:44-53.
- Clark, D. R., Jr. y R. M. Prouty. 1977. Experimental feeding of DDE and PCB to female big brown bats (*Eptesicus fuscus*). J. Toxicol. Environ. Health, 2:917-928.
- Clark, D. R. y B. A. Rattner. 1987. Orthene toxicity to little brown bats (*Myotis lucifugus*): Acetylcholinesterase inhibition, coordination loss, and mortality. Environ. Toxicol. Chem., 6:705-708.
- Clark, D. R. Jr. y C. J. Stafford. 1981. Effects of DDE and PCB (Aroclor 1260) on experimentally poisoned female little brown bats (*Myotis lucifugus*) : lethal brain concentrations. J. Toxicol. Environ. Health., 7:925-934.
- Clawson, R. L. y D. R. Clark, Jr. 1989. Pesticide contamination of endangered gray bats and their food base in Boone County, Missouri, 1982. Bull. Environ. Contam. Toxicol. , 42:341-437.
- Cockrum, E. L. 1969. Migration of the guano bat, *Tadarida brasiliensis*. Univ. Kansas Mus. Nat. Hist. Misc. Pub. 51:303-336.
- Cockrum, E. L. 1970. Insecticides and guano bats. Ecology, 51:761-762.
- Corrao, A., E. Catalano y B. Zava. 1985. Destructive effects of chlorinated pesticides on a bat colony (Chiroptera). Mammalia, 49:125-130.
- Crick, H. Q. P. 1986. The effects of fenitrothion applications to control Pine beauty moth on non-target animais in Scotland. In, Trees and wildlife in the Scottish uplands, ed. D. Jenkins, 101-107. ITE symposium 17. NERC Institute of Terrestrial Ecology, Banchory.
- Crick, H. Q. P. y C. J. Spray. 1986. The impact of aerial application of fenitrothion on forest bird populations. In, Population biology and control of the pine beauty moth (*Panolis flammea*), ed. S. R. Leather y J. T. Stoakley. (Research and development paper nº 139.) Edinburgh: Forest Commision.
- Daan, S. 1980. Long term changes in bat populations in the Netherlands: a suminary. Lutra, 22:95-105.
- Disser, J. y A. Nagel, 1989. Polychlorinated biphenyls in a maternity colony of the common pipistrelle (*Pipistrellus pipistrellus*). Pp. 637-644 en (V. Hanák, I. Horácek y J. Gaisler eds.) European bat research 1987, Proc. 4th European Bat Res. Symp., Charles Univ. Press, Praga.
- Ellman, G. L., K. D. Courtney, V. Andres, Jr. y R. M. Featherstone. 1961. A new and rapid colorimetric determination of acetylcholinesterase activity. Biochem. Pharmacol., 1:88-95.
- Esher, R. J. , J. L. Wolfe y R. B. Koch. 1980. DDT and DDE inhibition of the brain ATPases activities. Comp. Biochem. Physiol., 65C:43-45.
- Fleming, W. J. y C. E. Grue. 1981. Recovery of cholinesterase activity in five avian species exposed to dicrotophos, an organophosphorus pesticide. Pesticide Biochemistry and Physiology, 16:129-135.
- Geluso, K. N. , J. S. Altenbach y D. E. Wilson. 1976. Bat mortality: pesticide poisoning and migratory stress. Science, 194:184-186.
- Geluso, K. N., J. S. Altenbach y D. E. Wilson. 1981. Organochlorine residues in young mexican free-tailed bats from several roosts. Amer. Midland Nat., 105:249-257.

- Gerell, R. y K. Lundberg. 1989. Survival rates of adult pipistrelle bats (*Pipistrellus pipistrellus*) in South Sweden. pp 69-83 in Social organization and survival of the pipistrelle bat (P. *Pipistrellus*), and a comparison of advertisement behaviour in three polygynous bat species (K. Lundberg ed.). Dept. Ecol., Anim. Ecol., Lund Univ., Lund, Sweden.
- Hamilton, G. A., K. Hunter y A. D. Ruthven. 1981. Inhibition of brain acetylcholinesterase activity in songbirds exposed to fenitrothion during aerial spraying of forest. Bull. Environ. Contam. Toxicol., 27:856-863.
- Harmata, W. 1981. Longevity record for the lesser horseshoe bat. Acta Theriol., 26:507.
- Hayes, J. H. Jr. 1979. Organic phosphorus pesticides. In, Pesticides studied in man. Williams y Wilkins. Baltimore, London.
- Henny, C. J. , C. Maser, J. O. WhitaKer y T. E. Kaiser. 1982. Organochlorine residues in bats after a forest spraying with DDT. Northwest Sci., 56:329-337.
- Hernández, L. M., M<sup>a</sup> J. González, M<sup>a</sup> C. Rico, M. A. Fernández y A. Aranda. 1988. Organochlorine and heavy metal residues in Falconiforme and Ciconiforme eggs (Spain) . Bull. Environ. Contam. Toxicol., 40:86-93.
- Hunter, M. L., Jr., y J. W. Witham. 1985. Effects of carbarylinduced depression of arthropod abundance on the behavior of paruline warblers. Can. J. Zool., 63:2612-2616.
- Hunter, M. L., Jr., J. W. Witham y H. Dow. 1984. Effects of a carbaryl-induced depression in invertebrate abundance on the growth and behavior of american black duck and mallard ducklings. Can. J. Zool., 62:452-456.
- Jefferies, D. J. 1972. Organochlorine insecticide residues in British bats an their significance. J. Zool., Lond., 166:245-263.
- Kruthanut, S. 1986. Organochlorine residues in bats in Thailand. J. Singapore Natl. Acad. Sci., 15:30-35.
- Leeuwangh, P. y A. M. Voûte. 1985. Bats and woodpreservatives. Pesticide residues in the dutch pond bat (*Myotis dasycneme*) and its implications. Mammalia, 49:517-524.
- Luckens, M. M. 1973. Seasonal changes in the sensitivity of bats to DDT. Pp 63-71 en (W. B. Deichman, ed.) Pesticides and the environment: a continuing controversy. Intercontinental Medic. Books Corp., Nueva York.
- Luckens, M. M. y W. H. Davis. 1964. Bats: sensitivity to DDT. Science, 146:948.
- Ludke, J. L., E. F. Hill y M. P. Dieter. 1975. Cholinesterase (ChE) response and related mortality among birds fed ChE inhibitors. Arch. Environ. Contam. Toxicol., 3:1.
- Ministerio de Agricultura Pesca y Alimentación. 1988 . Mapa de cultivos y aprovechamientos de España. Escala 1:1.000.000. Madrid.
- Mitchell, M. F. y J. R. Roberts. 1984. A case study of the use of fenitrothion in New Brunswick: The evolution of an ordered approach to ecological monitoring. Pp. 377-402. In Effects of pollutants at the ecosystem level (P. J. Sheehan, D. R. Miller, G. C. Butler y Ph. Bourdeau, eds.). J. Wiley & Sons Ltd.
- Mitchell-Jones, A. J., A. S. Cooke, I. L. Boyd y R. E. Stebbings. 1989. Bats and remediar timber treatment chemicals-a review. Mammal Rev., 19:93-110.
- Nagel, A. y J. Disser. 1987. Untersuchungen zur Belastung einer Wochenstube von Zwergfledermäusen (*Pipistrellus Pipistrellus*) mit Chlorkohlrwassrstoffen. Verh. Dtsch. Zool. Ges., 80:215-216.
- Olmos, A. , V. Aznar, C. Fabregues y A. Perdiguer. 1990. Alternativa a la lucha química contra Chilo suppressalis Walker, barrenador del arroz, utilizando feromonas de síntesis. 4º Symposium Nacional de

Agroquímicos. Sevilla.

Paz, O. de, R. Fernández y J. Benzal. 1986. El anillamiento de quirópteros en el centro de la península Ibérica durante el período 1977-1986. Bol. Est. Central Ecol., 30:113-138.

Peakall, D. B. y J. R. Bart. 1983. Impacts of aerial application of insecticidas on forest birds. CRC Critical Reviews in Environmental Control 13:117-165.

Pearce, P.A. Y D. B. Peakall. 1977. The impact of fenitrothion on bird populations in New Brunswick. In, Fenitrothion: the long-term effects of its use in forest ecosystems-current status, ed. J. R. Roberts, R. Greenhalgh y W. K. Marshall, 299-30. (NRCC publication nº 15389.) Ottawa: National Research Council of Canada.

Phillips, C. J. , B. Steinberg y T. H. Kunz. 1982. Dentin, cementum, and age determination in bats: a critical evaluation. J. Mamm., 63:197-207.

Powell, G. V. N. 1984. Reproduction by an altricial songbird, the red-winged blackbird, in fields treated with the organophosphate insecticide fenthion. J. Applied Ecol. 21:83-95.

Powell, G. V. N. y D. C. Gray. 1980. Dosing free-living nestling starlings with an organophosphate pesticide, famphur. J. Of Wildl. Manage. 44:918-921. 1

Racey, P. A. y S. M. Swift. 1985. Feeding ecology of *Pipistrellus pipistrellus* (Chiroptera: Vespertilionidae) during pregnancy and lactation. I. Foraging behaviour. J. Animal Ecol., 54:205-215.

Racey, P. A. y S. M. Swift. 1986. The residual effects of remedial timber treatment on bats. Biol. Conserv., 35:205-214.

Reindinger, R. F. 1976. Organochlorine residues in adults of six southwestern bat species. J. Wildl. Managem., 40:677-680.

Sanz, P., M. C. Rodríguez-Vicente, D. Díaz, J. Repetto y M. Repetto. 1990. Basal values of AChE and ChE in humans; some influencing factors. Chemic. Toxicol. (In press).

Schober, W. y E. Grimmberger. 1989. A guide to bats of Britain and Europe. Hamlyn Publ. Groups Ltd. London.

Serra-Cobo, J. y E. Balcells. 1985. Mise à jour des résultats des campagnes de baguage de *Miniopterus schreibersi* dans le N.E. Espagnol et le S. E. Français. Xème Colloq. Franc. Mammal., Rouen, :85-98.

Southwood, T. R. E. 1971. Ecological methods. Chapman y Hall. London.

Spray, C. J., H. P. Q. Crick y A. D. Hart. 1987. The effects on aerial application of fenitrothion on bird populations of a Scottish pine plantation. J. Appli. Ecol., 24:29-47.

Stebbins, R. E. 1982. Radio tracking greater horseshoe bats with preliminary observations on flight patterns. Symp. Zool. Soc. Lond., 49:161-173.

Stocker, H. S. y S. L. Seager. 1981. Química ambiental. Contaminación del aire y del agua. Ed. Blume. Barcelona.

Strelkov, P. 1969. Migratory and stationary bats (Chiroptera) of the european part of the Soviet Union. Acta Zool. Cracoviensia, 14:393-440.

Suttman, C. E. y G. W. Barrett. 1979. Effects of sevin on arthropods in an agricultural and old-field plant community. Ecology, 60:628-641.

Taylor, R. J. y N. M. Savva. 1988. Use of roost sites by four species of bats in state forest in south eastern

Tasmania. Aust. Wildl. Res., 15:637-645.

Voûte, A. M. 1981. The conflict between bats and woodpreservatives. Myotis, 18-19:41-44.

White, D. H., K. A. King, C. A. Mitchell, E. F. Hill y T. G. Lamont. 1979. Parathion causes secondary poisoning in a laughing gull breeding colony. Bull. Environ. Contam. Toxicol., 23:281-284.

Wilson, D. E. , K. N. Geluso y J. S. Altenbach. 1978. The ontogeny of fat deposition in *Tadarida brasiliensis*. Pp. 15-19 en (R. J. Olembo, J. B. Castelino y F. A. Mutere eds.) Proc. 4th Internat. Bat Res. Conf., Kenya Lit. Bureau, Nairobi.

Zinkl, J. G., C. J. Henny y P. J. Shea. 1979. Pp. 356-365, In, Animals as monitors of environmental pollutants. National Academy of Sciences, Washington D. C.

Zinkl, J. G., R. B. Roberts, D. J. Henny y D. J. Lenhart. 1980. Inhibition of brain cholinesterase activity in forest birde and squirrels exposed to aerially applied acephate. Bull. Environ. Contam. Toxicol., 24:676-683.

---

El Ministerio de Medio Ambiente agradece sus comentarios. Copyright © 2006 Ministerio de Medio Ambiente