


1230 Vegetated sea cliffs of the Atlantic and Baltic Coasts

1. National level

Biogeographical regions and/or marine regions concerned within the Member State: **ATL MED**



map-distribution

2. Biogeographical or marine level

2.1 Biogeographical region or marine region: **ATLANTIC**

2.2 Published sources and/or websites:

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area of range in km²: 0

2.3.2 Date of range determination:

2.3.3 Quality of data concerning range:

2.3.4 Range trend:

2.3.5 Range trend magnitude in km² (optional):

2.3.6 Range trend period:

2.3.7 Reasons for reported trend:

and/or specify

2.4 Area covered by habitat type in the biogeographical region or marine region

2.4.1 Surface area of the habitat type (km²): 0

2.4.2 Date of area estimation:

2.4.3 Method used for area estimation:

2.4.4 Quality of data on area:

2.4.5 Area trend:

2.4.6 Area trend magnitude (km²): 0

2.4.7 Area trend period:

2.4.8 Reasons for reported trend:

and/or specify:

1230 Vegetated sea cliffs of the Atlantic and Baltic Coasts

2.4.9 Justification of % thresholds for trends (optional):

2.4.10 Main pressures:

2.4.11 Threats

2.5 Complementary information

2.5.1 Favourable reference range (km2): 0

2.5.2 Favourable reference area (km2): 0

2.5.3 Typical Species:

2.5.4 Typical species assessment:

2.5.5 Other relevant information (optional):

Conclusion	Biogeographical or marine level	Conclusions within Natura 2000 sites (optional)
Conclusions: (2.3) Range:	Unknown (XX)	
Conclusions: (2.4) Area:	Unknown (XX)	
Conclusions: (2.5) Structure and function, including typical species:	Unknown (XX)	
Conclusions: Future prospects:	Unknown (XX)	
Conclusions: Overall assessment:	Unknown (XX)	

2.1 Biogeographical region or marine region: **MEDITERRANEAN**

2.2 Published sources and/or websites:

SIN ESPECIFICAR

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area of range in km2: 96,33

2.3.2 Date of range determination: 1997

2.3.3 Quality of data concerning range: Moderate e.g. based on partial data with some extrapolation

2.3.4 Range trend:

2.3.5 Range trend magnitude in km2 (optional):

2.3.6 Range trend period:

2.3.7 Reasons for reported trend: Not applicable
and/or specify

2.4 Area covered by habitat type in the biogeographical region or marine region

2.4.1 Surface area of the habitat type (km2): 0,01

2.4.2 Date of area estimation: 1997

2.4.3 Method used for area estimation: Ground based survey (based on field mapping, possibly using stratified random sa

2.4.4 Quality of data on area: Moderate e.g. based on partial data with some extrapolation

2.4.5 Area trend:

2.4.6 Area trend magnitude (km2): 0

2.4.7 Area trend period:

2.4.8 Reasons for reported trend: Not applicable
and/or specify:

1230 Vegetated sea cliffs of the Atlantic and Baltic Coasts

2.4.9 Justification of % thresholds for trends (optional):

2.4.10 Main pressures:

2.4.11 Threats

2.5 Complementary information

2.5.1 Favourable reference range (km2): 0

2.5.2 Favourable reference area (km2): 0

2.5.3 Typical Species:

2.5.4 Typical species assessment:

2.5.5 Other relevant information (optional):

Conclusion	Biogeographical or marine level	Conclusions within Natura 2000 sites (optional)
Conclusions: (2.3) Range:	Unknown (XX)	
Conclusions: (2.4) Area:	Unknown (XX)	
Conclusions: (2.5) Structure and function, including typical species:	Unknown (XX)	
Conclusions: Future prospects:	Unknown (XX)	
Conclusions: Overall assessment:	Unknown (XX)	