


3230 Alpine rivers and their ligneous vegetation with *Myricaria germanica*

1. National level

Biogeographical regions and/or marine regions concerned within the Member State: **ALP MED**



map-distribution

2. Biogeographical or marine level

2.1 Biogeographical region or marine region: **ALPINE**

2.2 Published sources and/or websites:

Sin Especificar

2.3 Range of the habitat type in the biogeographical region or marine region

- | | |
|--|--|
| 2.3.1 Surface area of range in km2: | 300 |
| 2.3.2 Date of range determination: | 1994 |
| 2.3.3 Quality of data concerning range: | Poor e.g. based on very incomplete data or on expert judgement |
| 2.3.4 Range trend: | Unknown (X) |
| 2.3.5 Range trend magnitude in km2 (optional): | |
| 2.3.6 Range trend period: | |
| 2.3.7 Reasons for reported trend: | Unknown |
| and/or specify | |

2.4 Area covered by habitat type in the biogeographical region or marine region

- | | |
|---|-------------|
| 2.4.1 Surface area of the habitat type (km2): | 0 |
| 2.4.2 Date of area estimation: | |
| 2.4.3 Method used for area estimation: | |
| 2.4.4 Quality of data on area: | |
| 2.4.5 Area trend: | Unknown (X) |
| 2.4.6 Area trend magnitude (km2): | 0 |
| 2.4.7 Area trend period: | |
| 2.4.8 Reasons for reported trend: | Unknown |
| and/or specify: | |

3230 Alpine rivers and their ligneous vegetation with *Myricaria germanica*

2.4.9 Justification of % thresholds for trends (optional):

2.4.10 Main pressures:

2.4.11 Threats

2.5 Complementary information

2.5.1 Favourable reference range (km²): 0

2.5.2 Favourable reference area (km²): 0

2.5.3 Typical Species:

2.5.4 Typical species assessment:

2.5.5 Other relevant information (optional): Presente en 6 lugares. No se tienen datos del % del hábitat incluido en LIC

Conclusion	Biogeographical or marine level	Conclusions within Natura 2000 sites (optional)
Conclusions: (2.3) Range:	Unknown (XX)	
Conclusions: (2.4) Area:	Unknown (XX)	
Conclusions: (2.5) Structure and function, including typical species:	Unknown (XX)	
Conclusions: Future prospects:	Unknown (XX)	
Conclusions: Overall assessment:	Unknown (XX)	

2.1 Biogeographical region or marine region: **MEDITERRANEAN**

2.2 Published sources and/or websites:

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area of range in km²: 400,12

2.3.2 Date of range determination: 1994

2.3.3 Quality of data concerning range: Poor e.g. based on very incomplete data or on expert judgement

2.3.4 Range trend:

2.3.5 Range trend magnitude in km² (optional):

2.3.6 Range trend period:

2.3.7 Reasons for reported trend: Not applicable
and/or specify

2.4 Area covered by habitat type in the biogeographical region or marine region

2.4.1 Surface area of the habitat type (km²): 2,13

2.4.2 Date of area estimation: 2007

2.4.3 Method used for area estimation: Based on expert opinion

2.4.4 Quality of data on area:

2.4.5 Area trend:

2.4.6 Area trend magnitude (km²): 0

2.4.7 Area trend period:

2.4.8 Reasons for reported trend:
and/or specify:

2.4.9 Justification of % thresholds for trends (optional):

3230 Alpine rivers and their ligneous vegetation with *Myricaria germanica*

2.4.10 Main pressures:

2.4.11 Threats

2.5 Complementary information

2.5.1 Favourable reference range (km2): 0

2.5.2 Favourable reference area (km2): 0

2.5.3 Typical Species:

2.5.4 Typical species assessment:

2.5.5 Other relevant information (optional): Presente en 9 Lugares 99,94% del hábitat conocido incluido en LIC

Conclusion	Biogeographical or marine level	Conclusions within Natura 2000 sites (optional)
Conclusions: (2.3) Range:	Unknown (XX)	
Conclusions: (2.4) Area:	Unknown (XX)	
Conclusions: (2.5) Structure and function, including typical species:	Unknown (XX)	
Conclusions: Future prospects:	Unknown (XX)	
Conclusions: Overall assessment:	Unknown (XX)	